




Project Name:		Trial Pit Log		Hole ID:	TP201
Faversham Show Ground				Hole Type:	TP
Project Location:				Level:	
Land off Staple Street, Faversham		Project ID:	CDS-Faversham-22	Logged By:	CW
Client:		Contractor:	The CDS Group	Scale:	1:25
Memoria		Date:	27/01/2022	Page No:	Sheet 1 of 1













Water Strikes	Samples and Insitu Testing			Depth (m)	Level (m)	Thickness (m)	Legend	Stratum Description	Vertical Scale	
	Depth (m)	Type	Results							
	0.10	ES		0.25		(0.25m)		Dark brown silty clayey TOPSOIL	0.5	
	0.40	ES								Soft red-brown very silty CLAY. Becoming very soft
	0.80 0.80	HP D	UCS=80	3.00		(2.75m)			1.0	
	1.40	HP	UCS=80							1.5
	1.70 1.80	HP D	UCS=80							
	2.00	ES								2.5
	2.20	HP	UCS=20							
	2.50	HP	UCS=20							
	2.80	HP	UCS=20							
	End of Trial Pit at 3.000m									

Dimensions		Trial Pit Support and Stability			Groundwater Strikes
Pit Length (m)	Pit Width (m)	Pit Stability	Shoring Used	Remarks	Remarks
		Collapsing from 2.00m			

Remarks



Project Name:		Trial Pit Log		Hole ID:	TP202
Faversham Show Ground				Hole Type:	TP
Project Location:				Level:	
Land off Staple Street, Faversham		Project ID:	CDS-Faversham-22	Logged By:	CW
Client:		Contractor:	The CDS Group	Scale:	1:25
Memoria		Date:	27/01/2022	Page No:	Sheet 1 of 1







Water Strikes	Samples and Insitu Testing			Depth (m)	Level (m)	Thickness (m)	Legend	Stratum Description	Vertical Scale
	Depth (m)	Type	Results						
	0.10	ES		0.30		(0.30m)		Dark brown silty clayey TOPSOIL	0.5
								Soft red-brown very silty CLAY.	
	0.80	HP	UCS=80	3.00		(2.70m)		<i>Land Drain</i>	1.0
	0.80	ES						Firm, with slight gravel content	
	1.10	HP	UCS=200						
	1.20	D							
	1.40	HP	UCS=150						
	1.80	HP	UCS=80						
	2.00	HP	UCS=20					Very soft	
	2.00	D							
	2.50	HP	UCS=20						
	2.60	ES							
								End of Trial Pit at 3.000m	3.0

Dimensions		Trial Pit Support and Stability			Groundwater Strikes
Pit Length (m)	Pit Width (m)	Pit Stability	Shoring Used	Remarks	Remarks
		Stable in the short term			

Remarks



Project Name:		Trial Pit Log		Hole ID:	TP203
Faversham Show Ground				Hole Type:	TP
Project Location:				Level:	
Land off Staple Street, Faversham		Project ID:	CDS-Faversham-22	Logged By:	CW
Client:		Contractor:	The CDS Group	Scale:	1:25
Memoria		Date:	27/01/2022	Page No:	Sheet 1 of 1



Water Strikes	Samples and Insitu Testing			Depth (m)	Level (m)	Thickness (m)	Legend	Stratum Description	Vertical Scale
	Depth (m)	Type	Results						
	0.10	ES		0.30		(0.30m)		Dark brown silty clayey TOPSOIL	0.5
	0.60	D						Soft red-brown very silty CLAY with old roots	
	0.80	HP	UCS=80	3.00		(2.70m)			1.0
	1.30	HP	UCS=80						
	1.50	ES							
	1.60	HP	UCS=80						
	1.90	D		3.00		(2.70m)			2.0
	2.50	HP	UCS=20						
								<i>Becoming very soft</i>	2.5
								End of Trial Pit at 3.000m	3.0

Dimensions		Trial Pit Support and Stability			Groundwater Strikes
Pit Length (m)	Pit Width (m)	Pit Stability	Shoring Used	Remarks	Remarks
		Stable in the short term			

Remarks



Project Name:		Trial Pit Log		Hole ID:	TP204
Faversham Show Ground				Hole Type:	TP
Project Location:				Level:	
Land off Staple Street, Faversham		Project ID:	CDS-Faversham-22	Logged By:	CW
Client:		Contractor:	The CDS Group	Scale:	1:25
Memoria		Date:	27/01/2022	Page No:	Sheet 1 of 1




Water Strikes	Samples and Insitu Testing			Depth (m)	Level (m)	Thickness (m)	Legend	Stratum Description	Vertical Scale
	Depth (m)	Type	Results						
	0.10	ES		0.30		(0.30m)		Dark brown silty clayey TOPSOIL	
								Soft red-brown very silty CLAY.	
	0.90	HP	UCS=80			(2.70m)			0.5
	0.90	D							1.0
	1.20	ES							1.5
	1.30	HP	UCS=80						2.0
	2.00	HP	UCS=80						2.5
	2.00	D							3.0
	2.30	HP	UCS=20				<i>Becoming very soft</i>		3.5
	2.80	HP	UCS=20						4.0
				3.00				End of Trial Pit at 3.000m	4.5

Dimensions		Trial Pit Support and Stability			Groundwater Strikes
Pit Length (m)	Pit Width (m)	Pit Stability	Shoring Used	Remarks	Remarks
		Collapsing from 1.80m			

Remarks



Project Name:		Trial Pit Log		Hole ID:	TP205
Faversham Show Ground				Hole Type:	TP
Project Location:				Level:	
Land off Staple Street, Faversham		Project ID:	CDS-Faversham-22	Logged By:	CW
Client:		Contractor:	The CDS Group	Scale:	1:25
Memoria		Date:	27/01/2022	Page No:	Sheet 1 of 1



Water Strikes	Samples and Insitu Testing			Depth (m)	Level (m)	Thickness (m)	Legend	Stratum Description	Vertical Scale
	Depth (m)	Type	Results						
	0.50	ES		0.30		(0.30m)		Dark brown silty clayey TOPSOIL	0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5
	0.90	D		1.20		(0.90m)		Soft red-brown very silty CLAY.	
								Land Drain	
								End of Trial Pit at 1.200m	

Dimensions		Trial Pit Support and Stability			Groundwater Strikes
Pit Length (m)	Pit Width (m)	Pit Stability	Shoring Used	Remarks	Remarks
		Stable in the short term			

Remarks



Project Name:		Trial Pit Log		Hole ID:	TP206
Faversham Show Ground				Hole Type:	TP
Project Location:				Level:	
Land off Staple Street, Faversham		Project ID:	CDS-Faversham-22	Logged By:	CW
Client:		Contractor:	The CDS Group	Scale:	1:25
Memoria		Date:	27/01/2022	Page No:	Sheet 1 of 1



Water Strikes	Samples and Insitu Testing			Depth (m)	Level (m)	Thickness (m)	Legend	Stratum Description	Vertical Scale
	Depth (m)	Type	Results						
	0.10	ES		0.40		(0.40m)		Dark brown silty clayey TOPSOIL	0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5
	0.40	ES				(0.60m)		Soft red-brown very silty CLAY.	
	0.80	D				1.00		End of Trial Pit at 1.000m	

Dimensions		Trial Pit Support and Stability			Groundwater Strikes
Pit Length (m)	Pit Width (m)	Pit Stability	Shoring Used	Remarks	Remarks
		Stable in the short term			

Remarks



Project Name:		Trial Pit Log		Hole ID:	TP207
Faversham Show Ground				Hole Type:	TP
Project Location:				Level:	
Land off Staple Street, Faversham		Project ID:	CDS-Faversham-22	Logged By:	CW
Client:		Contractor:	The CDS Group	Scale:	1:25
Memoria		Date:	27/01/2022	Page No:	Sheet 1 of 1

Water Strikes	Samples and Insitu Testing			Depth (m)	Level (m)	Thickness (m)	Legend	Stratum Description	Vertical Scale
	Depth (m)	Type	Results						
	0.10	ES				(0.30m)		Dark brown silty clayey TOPSOIL	
				0.30		(0.30m)		Soft red-brown very silty CLAY.	0.5
				0.60				End of Trial Pit at 0.600m	1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5

Dimensions		Trial Pit Support and Stability			Groundwater Strikes
Pit Length (m)	Pit Width (m)	Pit Stability	Shoring Used	Remarks	Remarks
		Stable in the short term			

Remarks

